Cynomolgus ADAM9 Protein

ADM-CM109 Cat. No.


Decembratio

KVCJUS

| Description | |
|---------------------|--|
| Source | Recombinant Cynomolgus ADAM9 Protein is expressed from HEK293 with His tag at the C-Terminus. |
| | It contains Ala29-Gly698. |
| Accession | A0A2K5X4X8 |
| Molecular Weight | The protein has a predicted MW of 74.90 kDa. Due to furin cleavage site, the mature form migrates to 65-115 kDa based on Tris-Bis PAGE result. |
| Endotoxin | Less than 1EU per µg by the LAL method. |
| Purity | > 90% as determined by Tris-Bis PAGE |
| | > 90% as determined by HPLC |
| Formulation and S | torage |
| Formulation | Supplied as 0.22µm filtered solution in 50mM Tris, 500mM NaCL, 0.005% Brij-35, 20% Glycerol (pH 8.5). |
| Storage | Valid for 12 months from date of receipt when stored at -80°C.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles. |
| Background | |
| | A disintegrin and metalloproteinase 9 (ADAM9) is a member of the transmembrane ADAM family. It is expressed in different types of solid expression and promotes types investiones. ADAM0 may be a progression marker for |


in different types of solid cancer and promotes tumor invasiveness. ADAM9 may be a prognostic marker for vestibular schwannomas (VS), and ADAM9 inhibition might have the potential as a systemic approach for the treatment of VS.

Assay Data



Cynomolgus ADAM9 on Tris-Bis PAGE under reduced condition. The purity is greater than 90%.

SEC-HPLC



The purity of Cynomolgus ADAM9 is greater than 90% as determined by SEC-HPLC.

Cynomolgus ADAM9 Protein

Cat. No. ADM-CM109

Assay Data

Bioactivity Data

Measured by its ability to cleave a fluorogenic peptidesubstrate Mca-PLAQAV-Dpa-RSSSR-NH The specificactivity is > 1.0 pmol/min/ug.

