

Human AFP Protein

Cat. No. AFP-HM101



Description

Source	Recombinant Human AFP Protein is expressed from HEK293 with His tag at the C-Terminus.
	It contains Arg19-Val609.
Accession	P02771
Molecular Weight	The protein has a predicted MW of 67.6 kDa. Due to glycosylation, the protein migrates to 68-72 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC

Formulation and Storage


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -80°C for 3-6 months after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

Alpha-fetoprotein is a shuttle protein that delivers nutrients through receptor-mediated endocytosis to embryonic cells. In adults, alpha-fetoprotein can shuttle drugs into alpha-fetoprotein receptor-positive myeloid-derived suppressor, regenerating and also cancer cells. Drugs with high-binding affinity to alpha-fetoprotein can activate or deplete targeted cells. Myeloid-derived suppressor cells activation leads to immune suppression that can be used for treating autoimmune diseases.

Assay Data


Bis-Tris PAGE



Human AFP on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC

Assay Data



The purity of Human AFP is greater than 95% as determined by SEC-HPLC.