

Biotinylated Human ALCAM/CD166 Protein

Cat. No. ALC-HM401B

Description	
Source	Recombinant Biotinylated Human ALCAM/CD166 Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus. It contains Trp28-Ala526.
Accession	Q13740-1
Molecular Weight	The protein has a predicted MW of 58.9 kDa. Due to glycosylation, the protein migrates to 72-80 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per ug by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE > 95% as determined by HPLC


Formulation and Storage	
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -20 to -80°C for 3-6 months in unopened state after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

Brain metastasis (BM) in non-small-cell lung cancer (NSCLC) has a very poor prognosis. Recent studies have demonstrated the importance of cell adhesion molecules in tumor metastasis. Elevated levels of ALCAM expression promote BM formation in NSCLC through increased tumor cell dissemination and interaction with the brain endothelial cells. Therefore, ALCAM could be targeted to reduce the occurrence of BM.

Assay Data

Tris-Bis PAGE



Biotinylated Human ALCAM on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.


SEC-HPLC

Biotinylated Human ALCAM/CD166 Protein

Cat. No. ALC-HM401B



Assay Data



The purity of Biotinylated Human ALCAM is greater than 95% as determined by SEC-HPLC.

Biotinylated Human ALCAM/CD166 Protein


Cat. No. ALC-HM401B

Assay Data

ELISA Data

Biotinylated Human ALCAM, His Tag ELISA

0.1µg Biotinylated Human ALCAM, His Tag Per Well



Immobilized Biotinylated Human ALCAM, His Tag at 1µg/ml (100µl/well) on the streptavidin precoated plate (5µg/ml). Dose response curve for Anti-ALCAM Antibody, hFc Tag with the EC50 of 0.18µg/ml determined by ELISA.