Mouse 4-1BB Ligand/TNFSF9 Protein

Cat. No. BBL-MM241



Description	
Source	Recombinant Mouse 4-1BB Ligand/TNFSF9 Protein is expressed from HEK293 with hFc tag at the C-terminus.
	It contains Arg104-Glu309.
Accession	NP_033430
Molecular Weight	The protein has a predicted MW of 49.7 kDa. Due to glycosylation, the protein migrates to 65-75 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 0.1EU per μg by the LAL method.
Purity	>95% as determined by Bis-Tris PAGE
	>95% as determined by HPLC

Formulation and Storage

Formulation Supplied as 0.22 µm filtered solution in PBS (pH 7.4).

Storage Valid for 12 months from date of receipt when stored at -80°C. Recommend to aliquot the protein into smaller


quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

The 4-1BBL is the high affinity ligand of 4-1BB, also known as CD137L or TNFSF9. 4-1BB ligand (4-1BBL) is an inducible molecule present on several APC types, including B cells, macrophages and DCs.4-1BB:4-1BBL pathway seems to amplify the existing costimulatory signals, even if the engagement of 4-1BB in the presence of a strong TCR signaling can induce IL-2 production in a CD28-independent manner.


Assay Data

Bis-Tris PAGE



Mouse 4-1BB Ligand on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC



The purity of Mouse 4-1BB Ligand is greater than 95% as determined by SEC-HPLC.


KAGTUS

Assay Data

ELISA Data

Mouse 4-1BB Ligand, hFc Tag ELISA

0.1μg Mouse 4-1BB, His Tag Per Well



Log Mouse 4-1BB Ligand, hFc Tag Conc.(μg/ml)

Immobilized Mouse 4-1BB, His Tag at 1 μ g/ml (100 μ l/well) on the plate. Dose response curve for Mouse 4-1BB Ligand, hFc Tag with the EC50 of 2.4ng/ml determined by ELISA (QC Test).