### Human Serum Albumin Protein

Cat. No. BSA-HM401


Description

## κλιτυς

Description	
Source	Recombinant Human Serum Albumin Protein is expressed from HEK293 with His tag and Avi tag at the C- Terminus.
	It contains Asp25-Leu609.
Accession	P02768-1
Molecular Weight	The protein has a predicted MW of 69.4 kDa. Due to glycosylation, the protein migrates to 69-70 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC
Formulation and \$	Storage
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Background	
	Human serum albumin (HSA), the most prominent protein in plasma, binds different classes of ligands at multiple sites. HSA provides a depot for many compounds, affects pharmacokinetics of many drugs, holds some ligands in a strained orientation providing their metabolic modification, renders potential toxins harmless transporting them to disposal sites, accounts for most of the antioxidant capacity of human serum, and acts as a NO-carrier.


### Assay Data

### **Bis-Tris PAGE**



### Human Serum Albumin on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

#### SEC-HPLC



The purity of Human Serum Albumin is greater than 95% as determined by SEC-HPLC.


### Human Serum Albumin Protein

Cat. No. BSA-HM401

### Assay Data

# κλιτυς





Human Serum Albumin, His Tag immobilized on CM5 Chip can bind Human FcRn, His Tag with an affinity constant of 0.728  $\mu$ M as determined in SPR assay (Biacore T200).