
Human CEACAM-5/CD66e (501-685) Protein





Description	
Source	Recombinant Human CEACAM-5/CD66e (501-685) Protein is expressed from HEK293 with His tag at the C-terminus.
	It contains Pro501-Ala685.
Accession	P06731-1
Molecular Weight	The protein has a predicted MW of 20.89 kDa. Due to glycosylation, the protein migrates to 50-70 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per μg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE
	> 95% as determined by HPLC
Formulation and	Storage
Formulation	Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before


Formulation	lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3-6 months after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

Carcinoembryonic antigen-related cell adhesion molecule 5 (CEACAM5) was identified as a metastatic driver. CEACAM5 overproduction enriched for an epithelial gene expression pattern and facilitated tumor outgrowth at metastatic sites. Tissues from patients with metastatic breast cancer confirmed elevated levels of CEACAM5 in lung metastases relative to breast tumors, and an inverse correlation between CEACAM5 and the mesenchymal marker vimentin was demonstrated.

Assay Data

Tris-Bis PAGE




SEC-HPLC

Human CEACAM-5 (501-685) on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

Cat. No. CAM-HM1D3



Assay Data




The purity of Human CEACAM-5 (501-685) is greater than 95% as determined by SEC-HPLC.



Assay Data

ELISA Data

Human CEACAM-5, His Tag ELISA 0.2μg Human CEACAM-5, His Tag Per Well



Immobilized Human CEACAM-5, His Tag at $2\mu g/ml$ (100 $\mu l/well$) on the plate. Dose response curve for Anti-CEACAM5 Antibody, hFc Tag with the EC50 of 28.8ng/ml determined by ELISA.