

Biotinylated Human CEACAM-6/CD66c Protein

Cat. No. CAM-HM406B

Description	
Source	Recombinant Biotinylated Human CEACAM-6/CD66c Protein is expressed from Expi293 with His tag and Avi tag at the C-terminal. It contains Lys35-Gly320.
Accession	P40199
Molecular Weight	The protein has a predicted MW of 34.1 kDa. Due to glycosylation, the protein migrates to 55-75 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE > 95% as determined by HPLC


Formulation and Storage	
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 5% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge tubes before opening. Reconstituting to a concentration more than 100 µg/ml is recommended (usually we use 1mg/ml solution for lyophilization). Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -20 to -80°C for 3-6 months in unopened state after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please avoid freeze-thaw cycles.

Background

Carcinoembryonic antigen-related cell adhesion molecule 6 (CEACAM6) belongs to the human carcino-embryonic antigen (CEA) family. Numerous lines of studies have indicated that altered expression of CEACAM6 may have a role in carcinogenesis and development.

Assay Data


Tris-Bis PAGE



Biotinylated Human CEACAM-6 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.


SEC-HPLC

Assay Data



The purity of Biotinylated Human CEACAM-6 is greater than 95% as determined by SEC-HPLC.

SPR Data



Human CEACAM-8, His Tag immobilized on CM5 Chip can bind Biotinylated Human CEACAM6, His-Avi Tag with an affinity constant of 3.81 μM as determined in SPR assay (Biacore T200).