

Human CD5 Protein

Cat. No. CD5-HM101

Description

Source	Recombinant Human CD5 Protein is expressed from HEK293 with His tag at the C-Terminus. It contains Arg25-Asn371.
Accession	P06127
Molecular Weight	The protein has a predicted MW of 39.63 kDa. Due to glycosylation, the protein migrates to 50-60 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE > 95% as determined by HPLC

Formulation and Storage


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -80°C for 3 months after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

CD5: a type I transmembrane protein found on T cells, thymocytes, and some B cells that is a ligand for CD72 and is involved in cellular activation or adhesion; expressed in B-cell chronic lymphocytic leukemia and T-cell lymphoma.


Assay Data

Bis-Tris PAGE



Human CD5 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC




The purity of Human CD5 is greater than 95% as determined by SEC-HPLC.

Assay Data

ELISA Data

Human CD5, His Tag ELISA

0.05µg Human CD5, His Tag Per Well



Immobilized Human CD5, His Tag at 0.5µg/ml (100µl/Well) on the plate. Dose response curve for Anti-CD5 Antibody, hFc Tag with the EC50 of 4.0ng/ml determined by ELISA.