## Canine CD28 Protein, Ultra Low Endotoxin

Cat. No. CD8-CM128-UL




Description	
Source	Recombinant Canine CD28 Protein is expressed from HEK293 with His tag at the C-Terminus.
	It contains Thr18-Pro153.
Accession	Q9GKP3
Molecular Weight	The protein has a predicted MW of 16.7 kDa. Due to glycosylation, the protein migrates to 40-60 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 0.01 EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC
Formulation and Storage	
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Background	
	CD28 is the receptor for CD80 (B7-1) and CD86 (B7-2) proteins. When activated by Toll-like receptor ligands, the

cells is constitutive. CD28 is the only B7 receptor constitutively expressed on naive T cells.

CD80 expression is upregulated in antigen presenting cells (APCs). The CD86 expression on antigen presenting

## **Assay Data**

## **Bis-Tris PAGE**




Canine CD28 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

**SEC-HPLC** 

Cat. No. CD8-CM128-UL



## **Assay Data**



The purity of Canine CD28 is greater than 95% as determined by SEC-HPLC.