## Cynomolgus CDH17/Cadherin 17 Protein


Cat. No. CDH-CM127

Description



Source	Recombinant Cynomolgus CDH17/Cadherin 17 Protein is expressed from HEK293 with His tag at the C- terminus.
	It contains GIn23-Thr784.
Accession	XP_005563762.2
Molecular Weight	The protein has a predicted MW of 85.57 kDa. Due to glycosylation, the protein migrates to 95-115 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per μg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE
	> 95% as determined by HPLC
Formulation and	Storage
Formulation	Lyophilized from 0.22 μm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before Iyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3-6 months after reconstitution.2-8°C for 2-7 days after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Background	
	Liver-intestine cadherin (CDH17) has been known to function as a tumor stimulator and diagnostic marker for almost two decades. In vivo studies showed CDH17 knockout resulted in apoptotic PC tumor death through activating caspase-3 activity. Taken together, CDH17 functions as an oncogenic molecule critical to PC growth by regulating tumor apoptosis signaling pathways and CDH17 could be targeted to develop an anti-PC therapeutic approach.

## Assay Data




Cynomolgus CDH17 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

# Cynomolgus CDH17/Cadherin 17 Protein Cat. No. CDH-CM127

# Assay Data





The purity of Cynomolgus CDH17 is greater than 95% as determined by SEC-HPLC.


## Cynomolgus CDH17/Cadherin 17 Protein

Cat. No. CDH-CM127

### Assay Data

#### ELISA Data

#### **Cynomolgus CDH17, His Tag ELISA** 0.05µg Cynomolgus CDH17, His Tag Per Well



Immobilized Cynomolgus CDH17, His Tag at 0.5µg/ml (100µl/well) on the plate. Dose response curve for Anti-CDH17 Antibody, hFc Tag with the EC50 of 6.5ng/ml determined by ELISA.

