# Rhesus macaque CTGF/CCN2 Protein


## Cat. No. CGF-CM101

# ᠺ᠕ᡗ᠋ᠴ᠋᠐᠍᠋

#### Description Recombinant Rhesus macaque CTGF/CCN2 Protein is expressed from HEK293 with His tag at the C-Terminus Source It contains GIn27-Ala349. Accession H9FQD5 The protein has a predicted MW of 36.52 kDa. Due to glycosylation, the protein migrates to 40-50 kDa based on Molecular Weight Bis-Tris PAGE result. Endotoxin Less than 1EU per µg by the LAL method. Purity > 95% as determined by Bis-Tris PAGE Formulation and Storage Lyophilized from 0.22µm filtered solution in PBS, 0.2M Arginine (pH 7.4). Normally 8% trehalose is added as Formulation protectant before lyophilization. Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Reconstitution Dissolve the lyophilized protein in distilled water. -20 to -80°C for 12 months as supplied from date of receipt.-80°C for 3 months after reconstitution. Recommend Storage to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles. Background Connective tissue growth factor (CTGF) is a member of the CCN matricellular protein family, consisting of four domains, that regulates the signaling of other growth factors and promotes kidney fibrosis.CTGF can simultaneously interact with several factors with its four domains. The microenvironment differs depending on the types of cells and tissues and differentiation stages of these cells.

Assay Data






Rhesus macaque CTGF on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

## **ELISA Data**

# Rhesus macaque CTGF, His Tag ELISA

0.05µg Rhesus macaque CTGF, His Tag Per Well



Immobilized Rhesus macaque CTGF, His Tag at  $0.5\mu$ g/ml (100 $\mu$ l/well) on the plate. Dose response curve for Anti-CTGF Antibody, hFc Tag with the EC50 of 8.8ng/ml determined by ELISA (QC Test).