

Biotinylated Human GM-CSF R alpha Protein

Cat. No. CSF-HM42RB

Description

Source	Recombinant Biotinylated Human GM-CSF R alpha Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus. It contains Glu23-Gly320.
Accession	P15509-1
Molecular Weight	The protein has a predicted MW of 37.7 kDa. Due to glycosylation, the protein migrates to 68-75 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE > 95% as determined by HPLC

Formulation and Storage


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -80°C for 3 months after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

In the first trimester, the GM-CSF-R was found to be present on villous cytotrophoblast and all populations of extravillous trophoblast. Expression by villous syncytiotrophoblast was weak or absent, but this increased markedly by term. GM-CSF-R were also expressed by fetal Hofbauer cells within the mesenchyme of the chorionic villi and by uterine glandular epithelium and decidual macrophages within maternal decidua.


Assay Data

Bis-Tris PAGE



Biotinylated Human GM-CSF R alpha on Bis-Tris PAGE under reduced conditions. The purity is greater than 95%.

SEC-HPLC



The purity of Biotinylated Human GM-CSF R alpha is greater than 95% as determined by SEC-HPLC.

Biotinylated Human GM-CSF R alpha Protein


Cat. No. CSF-HM42RB

Assay Data

ELISA Data

Biotinylated Human GM-CSF R alpha, His Tag ELISA


0.1µg Anti-GM-CSF R alpha Antibody, hFc Tag Per Well



Immobilized Anti-GM-CSF R alpha Antibody, hFc Tag at 1µg/ml (100µl/well) on the plate. Dose response curve for Biotinylated Human GM-CSF R alpha, His Tag with the EC50 of 11.6ng/ml determined by ELISA (QC Test).

Log Biotinylated Human GM-CSF R alpha, His Tag Conc.(µg/ml)

SPR Data



Biotinylated Human GM-CSF R alpha, His-Avi Tag captured on CM5 Chip via Anti-His Antibody can bind Human GM-CSF, No Tag with an affinity constant of 1.68 nM as determined in SPR assay (Biacore T200).