Human CXCL4 Protein, Ultra Low Endotoxin

Cat. No. CXC-HM2L4-UL

ϗͶϲϿ·ႮႽ

Recombinant Human CXCL4 Protein is expressed from HEK293 with hFc tag at the C-Terminus. It contains Glu32-Ser101.	
	P02776
The protein has a predicted MW of 34.5 kDa. Due to glycosylation, the protein migrates to 40-50 kDa based on Bis-Tris PAGE result.	
Less than 0.01 EU per µg by the LAL method.	
rity > 95% as determined by Bis-Tris PAGE > 95% as determined by HPLC	
	Formulation and Storage
Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.	
Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.	
-20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.	
Chemokines regulate leukocyte migration during physiological and pathological conditions. It is currently accepted that these chemotactic cytokines are also important in the development and progression of cancer. CXCL4 and its non-allelic variant CXCL4L1 are two platelet-associated chemokines that have been attributed anti-tumoral activity as a result of their angiostatic potential and the chemotactic activity for anti-tumoral leukocytes.	

Assay Data



Human CXCL4 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC

Human CXCL4 Protein, Ultra Low Endotoxin

Cat. No. CXC-HM2L4-UL

Assay Data





The purity of Human CXCL4 is greater than 95% as determined by SEC-HPLC.