

Cynomolgus/Rhesus macaque DKK1 Protein

Cat. No. DKK-CM301

Description

Source	Recombinant Cynomolgus/Rhesus macaque DKK1 Protein is expressed from HEK293 with mFc (IgG1) tag at the C-Terminus. It contains Thr32-His266.
Accession	XP_005565907.1/NP_001247454.1
Molecular Weight	The protein has a predicted MW of 51.42 kDa. Due to glycosylation, the protein migrates to 60-70 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE > 95% as determined by HPLC

Formulation and Storage


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -20 to -80°C for 3-6 months in unopened state after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

Dickkopf related protein 1 (Dkk-1) is the founding member of the Dickkopf family of proteins that includes Dkk-1, -2, -3, -4, and a related protein, Soggy. Dkk proteins are secreted proteins that contain two conserved cysteine-rich domains separated by a linker region. Dkk antagonizes canonical Wnt signaling by inhibiting LRP5/6 interaction with Wnt and by forming a ternary complex with the transmembrane protein KREMEN that promotes internalization of LRP5/6. DKKs play an important role in vertebrate development, where they locally inhibit Wnt regulated processes such as antero-posterior axial patterning, limb development, somitogenesis and eye formation.


Assay Data

Tris-Bis PAGE



Cynomolgus/Rhesus macaque DKK1 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC




The purity of Cynomolgus/Rhesus macaque DKK1 is greater than 95% as determined by SEC-HPLC.

Assay Data

ELISA Data

Cynomolgus/Rhesus macaque DKK1, mFc Tag ELISA

0.1µg Cynomolgus/Rhesus macaque DKK1, mFc Tag Per Well



Immobilized Cynomolgus/Rhesus macaque DKK1, mFc Tag at 1µg/ml (100µl/well) on the plate. Dose response curve for Anti-DKK1 Antibody, hFc Tag with the EC50 of 12.3ng/ml determined by ELISA.