
Biotinylated Human DLL3 Domain (311-479) Protein






Oat. 140. DEL-111VI	TO 10
Description	
Source	Recombinant Biotinylated Human DLL3 Domain (311-479) Protein is expressed from HEK293 with with His tag and Avi tag at the C-Terminus.
	It contains Val311-Ala479.
Accession	Q9NYJ7-1
Molecular Weight	The protein has a predicted MW of 21.20 kDa. Due to glycosylation, the protein migrates to 25-30 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per μg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE
	> 95% as determined by HPLC
Formulation and S	torage
Formulation	Lyophilized from 0.22 μ m filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3-6 months after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Background	
	Delta-like protein 3 (DLL3) is a transmembrane protein that belongs to the Delta/Serrate/Lag-2 (DSL) family of

Delta-like protein 3 (DLL3) is a transmembrane protein that belongs to the Delta/Serrate/Lag-2 (DSL) family of Notch ligands. DLL3 inhibits primary neurogenesis. May be required to divert neurons along a specific differentiation pathway. Plays a role in the formation of somite boundaries during segmentation of the paraxial mesoderm (By similarity).

Assay Data

Tris-Bis PAGE



Biotinylated Human DLL3 Domain (311-479) on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.


SEC-HPLC

Biotinylated Human DLL3 Domain (311-479) Protein

Cat. No. DLL-HM4D1B

KAGTUS

Assay Data



The purity of Biotinylated Human DLL3 Domain (311-479) is greater than 95% as determined by SEC-HPLC.




Assay Data

ELISA Data

Biotinylated Human DLL3 Domain(311-479), His Tag ELISA

0.05μg Biotinylated Human DLL3 Domain(311-479), His Tag Per Well



Log Anti-DLL3 Antibody, hFc Tag Conc.(ng/ml)

Immobilized Biotinylated Human DLL3 Domain (311-479), His Tag at $0.5\mu g/ml$ ($100\mu l/well$) on the streptavidin precoated plate ($5\mu g/ml$). Dose response curve for Anti-DLL3 Antibody, hFc Tag with the EC50 of 1.59ng/ml determined by ELISA.