#### **Canine ENPP-3 Protein**


## Cat. No. ENP-DM103

# ϗͶͼͻ·Ͷϩ


Recombinant Canine ENPP-3 Protein is expressed from HEK293 with His tag at the N-Terminus. It contains Arg46-Ile874.	
	A0A8I3N0F5
The protein has a predicted MW of 96.19 kDa. Due to glycosylation, the protein migrates to 110-130 kDa based on Tris-Bis PAGE result.	
Less than 1EU per µg by the LAL method.	
> 95% as determined by Tris-Bis PAGE > 95% as determined by HPLC	
	Formulation and Storage
Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.	
Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.	
-20 to -80°C for 12 months as supplied from date of receipt20 to -80°C for 3-6 months in unopened state after reconstitution.2-8°C for 2-7 days after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.	
Ectonucleotide pyrophosphatase-phosphodiesterase 3 (ENPP3), a protein detected in the human uterus, has been found to play an important role in the development and invasion of tumours. It was recently discovered that ENPP3 was upregulated during the window of implantation in the human endometrium but its functional relevance remains elusive.	

### Assay Data


### Tris-Bis PAGE



Canine ENPP-3 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.



κλιτυς



The purity of Canine ENPP-3 is greater than 95% as determined by SEC-HPLC.