Human ENPP-3 Protein

Cat. No. ENP-HM113



out no. Em i	
Description	
Source	Recombinant Human ENPP-3 Protein is expressed from HEK293 with His tag at the N-terminus.
	It contains Leu48-lle875.
Accession	O14638
Molecular Weight	The protein has a predicted MW of 96.15 kDa. Due to glycosylation, the protein migrates to 100-130 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC
Formulation and	Storage
Formulation	Lyophilized from 0.22 μ m filtered solution in 50mM Tris, 150mM NaCl (pH 8.0). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.

Background

minimize freeze-thaw cycles.

Storage


Ectonucleotide pyrophosphatase-phosphodiesterase 3 (ENPP3), a protein detected in the human uterus, has been found to play an important role in the development and invasion of tumours. It was recently discovered that ENPP3 was upregulated during the window of implantation in the human endometrium but its functional relevance remains elusive.

-20 to -80°C for 12 months as supplied from date of receipt. -80°C for 3-6 months after reconstitution. 2-8°C for 2-

7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please

Assay Data

Bis-Tris PAGE




Human ENPP-3 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC

Cat. No. ENP-HM113



Assay Data



The purity of Human ENPP-3 is greater than 95% as determined by SEC-HPLC.