Human FcRH5/FcRL5 Protein

Cat. No. FCR-HM101




Cat. No. 1 CK-1 IIVI IO	I .
Description	
Source	Recombinant Human FcRH5/FcRL5 Protein is expressed from HEK293 with His tag at the C-Terminus.
	It contains Gln16-Gly851.
Accession	Q96RD9-1
Molecular Weight	The protein has a predicted MW of 92.38 kDa. Due to glycosylation, the protein migrates to 120-140 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1 EU per μg by the LAL method.
Purity	>95% as determined by Bis-Tris PAGE
	>95% as determined by HPLC
Formulation and Storage	
Formulation	Lyophilized from 0.22 μ m filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Background	
	FcRH5 is a cell surface marker enriched on malignant plasma cells when compared to other hematologic

auristatin E (MMAE), a potent anti-mitotic agent.

malignancies and normal tissues. DFRF4539A is an anti-FcRH5 antibody-drug conjugated to monomethyl

Assay Data

Bis-Tris PAGE




Human FcRH5 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC

KAGTUS


Assay Data



The purity of Human FcRH5 is greater than 95% as determined by SEC-HPLC.

ELISA Data

Human FcRH5, His Tag ELISA 0.1µg Human FcRH5, His Tag Per Well



 $\textbf{Log Anti-FcRH5 Antibody, hFc Tag Conc.} (\mu g/ml)$

Immobilized Human FcRH5, His Tag at 1 μ g/ml (100 μ l/well) on the plate. Dose response curve for Anti-FcRH5 Antibody, hFc Tag with the EC50 of 5.4 ng/ml determined by ELISA (QC Test).