

Human FGFR3 alpha (IIIb) Protein

Cat. No. FGF-HM43B

Description

Source	Recombinant Human FGFR3 (IIIb) Protein is expressed from Expi293 with His tag and Avi tag at the C-terminal. It contains Glu23-Gly377.
Accession	P22607-2
Molecular Weight	The protein has a predicted MW of 41.4 kDa. Due to glycosylation, the protein migrates to 65-75 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE > 95% as determined by HPLC

Formulation and Storage


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge tubes before opening. Reconstituting to a concentration more than 100 µg/ml is recommended (usually we use 1mg/ml solution for lyophilization). Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -20 to -80°C for 3-6 months in unopened state after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please avoid freeze-thaw cycles.

Background

Four distinct genes encoding closely related FGF receptors, FGF R1-4, are known. All four genes for FGF Rs encode proteins with an N-terminal signal peptide, three immunoglobulin (Ig)-like domains, an acidbox region containing a run of acidic residues between the Igl and IgII domains, a transmembrane domain and the split tyrosine-kinase domain. FGFR3 is tyrosine-protein kinase that acts as cell-surface receptor for fibroblast growth factors and plays an essential role in the regulation of cell proliferation, differentiation and apoptosis. Plays an essential role in the regulation of chondrocyte differentiation, proliferation and apoptosis, and is required for normal skeleton development. Regulates both osteogenesis and postnatal bone mineralization by osteoblasts.

Assay Data

Tris-Bis PAGE




Human FGFR3 alpha (IIIb) on Tris-Bis PAGE under reduced conditions. The purity is greater than 95%.

SEC-HPLC

Human FGFR3 alpha (IIIb) Protein

Cat. No. FGF-HM43B

Assay Data




The purity of Human FGFR3 alpha (IIIb) is greater than 95% as determined by SEC-HPLC.

ELISA Data

Human FGFR3 alpha (IIIb), His Tag ELISA

0.1 μ g Human FGFR3 alpha (IIIb), His Tag Per Well



Immobilized Human FGFR3 alpha (IIIb) at 1 μ g/ml (100 μ l/well) on the plate. Dose response curve for Anti-FGFR3 Antibody, hFc Tag with the EC50 of 10.7ng/ml determined by ELISA.