Biotinylated Human TNFSF15 Protein (Primary Amine Labeling)






Description	
Source	Recombinant Biotinylated Human TNFSF15 Protein (Primary Amine Labeling) is expressed from HEK293 with His tag at the N-terminus.
	It contains Leu72-Leu251.
Accession	O95150-1
Molecular Weight	The protein has a predicted MW of 21.57 kDa. Due to glycosylation, the protein migrates to 25-35 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per μg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE
	> 95% as determined by HPLC
Formulation and Storage	
Formulation	Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3-6 months after reconstitution.2-8°C for 2-7 days after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Background	

TNF superfamily member 15 (TNFSF15), a cytokine largely produced by vascular endothelial cells and a specific inhibitor of the proliferation of these same cells, can inhibit VEGF-induced vascular permeability in vitro and in vivo, and that death receptor 3 (DR3), a cell surface receptor of TNFSF15, mediates TNFSF15-induced dephosphorylation of VEGFR2.

Assay Data

Tris-Bis PAGE




SEC-HPLC

Biotinylated Human TNFSF15 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

Cat. No. FSF-HM115B



Assay Data



The purity of Biotinylated Human TNFSF15 is greater than 95% as determined by SEC-HPLC.


KAGTUS

Assay Data

ELISA Data

Biotinylated Human TNFSF15, His Tag ELISA

 $0.5 \mu g$ Mouse DR3, His Tag Per Well




 $Log \ Biotinylated \ Human \ TNFSF15, \ His \ Tag \ Conc. (\mu g/ml)$

Immobilized Mouse DR3, His Tag at $5\mu g/ml$ (100 $\mu l/well$) on the plate. Dose response curve for Biotinylated Human TNFSF15, His Tag with the EC50 of $0.69\mu g/ml$ determined by ELISA.

ELISA Data

Biotinylated Human TNFSF15, His Tag ELISA

0.05μg Biotinylated Human TNFSF15, His Tag Per Well



Log Anti-TNFSF15 Antibody, hFc Tag Conc.(µg/ml)

Immobilized Biotinylated Human TNFSF15, His Tag at 0.5µg/ml (100µl/well) on the streptavidin precoated plate (5µg/ml). Dose response curve for Anti-TNFSF15 Antibody, hFc Tag with the EC50 of 5.2ng/ml determined by ELISA.