

Biotinylated Human TNFSF15 Trimer Protein (Primary Amine Labeling)



Cat. No. FSF-HM416B

Description

Source	Recombinant Biotinylated Human TNFSF15 Trimer Protein (Primary Amine Labeling) is expressed from HEK293 with His tag and Flag tag at the N-Terminus. It contains Asp91-Leu251.
Accession	O95150-1
Molecular Weight	The protein has a predicted MW of 58.2 kDa. Due to glycosylation, the protein migrates to 65-75 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE > 95% as determined by HPLC

Formulation and Storage

Formulation	Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -80°C for 3-6 months after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

TNF superfamily member 15 (TNFSF15), a cytokine largely produced by vascular endothelial cells and a specific inhibitor of the proliferation of these same cells, can inhibit VEGF-induced vascular permeability in vitro and in vivo, and that death receptor 3 (DR3), a cell surface receptor of TNFSF15, mediates TNFSF15-induced dephosphorylation of VEGFR2.

Assay Data

Tris-Bis PAGE




Biotinylated Human TNFSF15 Trimer on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC

Biotinylated Human TNFSF15 Trimer Protein (Primary Amine Labeling)

Cat. No. FSF-HM416B

Assay Data




The purity of Biotinylated Human TNFSF15 Trimer is greater than 95% as determined by SEC-HPLC.

ELISA Data

Biotinylated Human TNFSF15 (Trimer), His Tag ELISA

0.2µg Mouse DR3, His Tag Per Well



Immobilized Mouse DR3, His Tag at 2µg/ml (100µl/well) on the plate. Dose response curve for Biotinylated Human TNFSF15 (Trimer), His Tag with the EC50 of 0.16µg/ml determined by ELISA.

Log Biotinylated Human TNFSF15 (Trimer), His Tag Conc.(µg/ml)