

Mouse GARP&Latent TGF beta 1 Complex Protein

Cat. No. GAT-MM101

Description

Source	Recombinant Mouse GARP&Latent TGF beta 1 Complex Protein is expressed from HEK293 with His tag at the N-Terminus. It contains Ala18-Leu628(GARP)&Leu30-Ser390(Latent TGF beta 1).
Accession	G3XA59(GARP)&P04202(Latent TGF beta 1)
Molecular Weight	The protein has a predicted MW of 66.6 kDa (GARP)&41.3 kDa (Latent TGF beta 1). Due to glycosylation, the protein migrates to 70-80 kDa (GARP)&13 kDa&42-50 kDa (Latent TGF beta 1) based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE > 95% as determined by HPLC

Formulation and Storage


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -20 to -80°C for 3-6 months in unopened state after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

GARP&Latent TGF Beta is a complex found on surface of many types of cells. In Tregs, GARP is involved in TCR-mediated activation of Latent TGF-β and thus promoting secretion and activation of TGF-β. Integrin αβ8 on the surface of immune cells and other cells recognizes RGD in LAP, resulting in the release of mature TGF-β from the TGF-β&GARP complex.

Assay Data

Tris-Bis PAGE



Mouse GARP&Latent TGF beta 1 Complex on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.


SEC-HPLC

Mouse GARP&Latent TGF beta 1 Complex Protein

Cat. No. GAT-MM101



Assay Data



The purity of Mouse GARP&Latent TGF beta 1 Complex is greater than 95% as determined by SEC-HPLC.