

Human GUCY2C/Guanylyl cyclase C Protein

Cat. No. GCC-HM201

Description

Source	Recombinant Human GUCY2C/Guanylyl cyclase C Protein is expressed from HEK293 with hFc tag at the C-Terminus. It contains Ser24-Gln430.
Accession	P25092-1
Molecular Weight	The protein has a predicted MW of 72.8 kDa. Due to glycosylation, the protein migrates to 85-115 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 0.1 EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE > 95% as determined by HPLC

Formulation and Storage


Formulation	Supplied as 0.22 μm filtered solution in PBS (pH 7.4).
Storage	Valid for 12 months from date of receipt when stored at -80°C . Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

Guanylyl cyclase C (GUCY2C) has canonical centrality in defense of key intestinal homeostatic mechanisms, encompassing fluid and electrolyte balance, epithelial dynamics, antitumorigenesis, and intestinal barrier function. GUCY2C may represent a new target for anti-obesity pharmacotherapy.


Assay Data

Bis-Tris PAGE



Human GUCY2C on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC




The purity of Human GUCY2C is greater than 95% as determined by SEC-HPLC.

Assay Data

ELISA Data

Human GUCY2C, hFc Tag ELISA

0.5µg Human GUCY2C, hFc Tag Per Well



Immobilized Human GUCY2C, hFc Tag at 5µg/ml (100µl/well) on the plate. Dose response curve for Biotinylated Anti-GUCY2C Antibody, hFc Tag with the EC50 of 16.2ng/ml determined by ELISA (QC Test).

Log Biotinylated Anti-GUCY2C Antibody, hFc Tag Conc.(µg/ml)