

Biotinylated Human GLP-1R Protein-Nanodisc

Cat. No. GLP-HM4N185BF

Description

Source	Recombinant Biotinylated Human GLP-1R Protein-Nanodisc is expressed from HEK293 with His tag and Avi tag at the C-terminus (FITC-equivalent protein is fused on cytoplasmic part). It contains Met1-Ser463.
Accession	P43220
Molecular Weight	The protein has a predicted MW of 85.8 kDa.
Endotoxin	Less than 1EU per μg by the LAL method.

Formulation and Storage

Formulation	Supplied as 0.22 μm filtered solution in PBS (pH 7.4). Notice: Not recommended for immunization and flow cytometry in mammalian cells.
Storage	Valid for 12 months from date of receipt when stored at -80°C . Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background


Glucagon-like peptide-1 receptor (GLP-1R) is a critical therapeutic target for type 2 diabetes mellitus (T2DM). GLP-1R emerged as an important pharmacological target for addressing T2DM, as it actively contributes to maintaining glucose homeostasis while promoting both β cell proliferation and insulin release. The impact of GLP-1R agonists such as semaglutide extends beyond diabetes control: they play a multifaceted role in regulating blood glucose levels by reducing hunger, moderating food intake, and managing body weight. Notably, GLP-1R agonists inhibit cancer progression in some malignant tumors.

Assay Data

ELISA Data

Biotinylated Human GLP-1R Nanodisc, His Tag ELISA

0.5 μg Biotinylated Human GLP-1R Nanodisc, His Tag Per Well



Immobilized Biotinylated Human GLP-1R Nanodisc, His Tag at 5 $\mu\text{g}/\text{ml}$ (100 $\mu\text{l}/\text{well}$) on the streptavidin precoated plate (5 $\mu\text{g}/\text{ml}$). Dose response curve for Anti-GLP-1R Antibody, hFc Tag with the EC_{50} of 0.28 $\mu\text{g}/\text{ml}$ determined by ELISA (QC Test).