FITC-Labeled Human Her3/ErbB3 Protein





Description	
Source	Recombinant FITC-Labeled Human Her3/ErbB3 Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus.
	It contains Ser20-Thr643.
Accession	P21860-1
Molecular Weight	The protein has a predicted MW of 71.6 kDa. Due to glycosylation, the protein migrates to 72-75 kDa based on Tris-Bis PAGE result.
Wavelength	Excitation Wavelength: 490 nm
	Emission Wavelength: 520 nm
Endotoxin	Less than 1EU per μg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE
Committee and	Ohanna

Formulation and Storage


Formulation	Lyophilized from 0.22 µm filtered solution in HER-HM403F. Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3-6 months after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

Her3, also called ErbB3, is a type I membrane glycoprotein that is a member of the ErbB family of tyrosine kinase receptors.Her3 is expressed in keratinocytes, melanocytes, skeletal muscle cells, embryonic myoblasts and Schwann cells. Monomeric Her3 serves as a low affinity receptor for the heregulins (HRG).

Assay Data

Tris-Bis PAGE



ELISA Data


FITC-Labeled Human Her3 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

KAGTUS

Assay Data

FITC-Labeled Human Her3, His Tag ELISA

0.5μg FITC-Labeled Human Her3, His Tag Per Well



Immobilized FITC-Labeled Human Her3, His Tag at $5\mu g/ml$ (100 $\mu l/well$) on the plate. Dose response curve for Human NRG1 Beta 1, hFc Tag with the EC50 of 23.6ng/ml determined by ELISA.