

Biotinylated Human HMGB1 Protein (Primary Amine Labeling)

Cat. No. HMG-HM1B1B


Description	
Source	Recombinant Biotinylated Human HMGB1 Protein (Primary Amine Labeling) is expressed from HEK293 with His tag at the C-Terminus. It contains Met1-Glu215.
Accession	P09429-1
Molecular Weight	The protein has a predicted MW of 26 kDa. Due to glycosylation, the protein migrates to 32-36 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1EU per ug by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE > 95% as determined by HPLC

Formulation and Storage	
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -80°C for 3 months after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

High-mobility group box 1 (HMGB1) is a ubiquitous nuclear protein that promotes inflammation when released extracellularly after cellular activation, stress, damage or death. HMGB1 operates as one of the most intriguing molecules in inflammatory disorders via recently elucidated signal and molecular transport mechanisms. Treatments based on antagonists specifically targeting extracellular HMGB1 have generated encouraging results in a wide number of experimental models of infectious and sterile inflammation.

Assay Data



Biotinylated Human HMGB1 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.


SEC-HPLC

Biotinylated Human HMGB1 Protein (Primary Amine Labeling)

Cat. No. HMG-HM1B1B




Assay Data



The purity of Biotinylated Human HMGB1 is greater than 95% as determined by SEC-HPLC.

Assay Data

SPR Data



Human AGER, His Tag immobilized on CM5 Chip can bind Biotinylated Human HMGB1, His Tag with an affinity constant of 2.60 μM as determined in SPR assay (Biacore T200).