Biotinylated Cynomolgus IFN alpha/beta R1 Protein





| Description | |
|-------------------------|---|
| Source | Recombinant Biotinylated Cynomolgus IFN alpha/beta R1 Protein is expressed from HEK293 with His tag and Avi tag at the C-terminus. |
| | It contains Ala25-Lys437. |
| Accession | A0A7N9D7J0 |
| Molecular Weight | The protein has a predicted MW of 50.35 kDa. Due to glycosylation, the protein migrates to 75-105 kDa based on Tris-Bis PAGE result. |
| Endotoxin | Less than 1EU per μg by the LAL method. |
| Purity | > 95% as determined by Tris-Bis PAGE |
| | > 95% as determined by HPLC |
| Formulation and Storage | |
| Formulation | Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization. |
| Reconstitution | Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water. |
| Storage | -20 to -80°C for 12 months as supplied from date of receipt80°C for 3-6 months after reconstitution.2-8°C for 2-7 days after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles. |

IFN-alpha / beta R1, also known as IFNAR1, belongs to the class II cytokine receptor family of proteins. Class II cytokine receptors form heterodimeric receptor complexes that mediate class II cytokine signals. Subunits of the different receptor complexes are shared and serve multiple functions. Functions in general as heterodimer with IFNAR2. Type I interferon binding activates the JAK-STAT signaling cascade, and triggers tyrosine


phosphorylation of a number of proteins including JAKs, TYK2, STAT proteins and the IFNR alpha- and beta-

subunits themselves.

Assay Data

Background

Tris-Bis PAGE



Biotinylated Cynomolgus IFN alpha/beta R1 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.


SEC-HPLC

Biotinylated Cynomolgus IFN alpha/beta R1 Protein

Cat. No. IFN-CM4R1B

KAGTUS

Assay Data



The purity of Biotinylated Cynomolgus IFN alpha/beta R1 is greater than 95% as determined by SEC-HPLC.


Biotinylated Cynomolgus IFN alpha/beta R1 Protein

Cat. No. IFN-CM4R1B



Assay Data

SPR Data



Biotinylated Cynomolgus IFN alpha/beta R1, His-Avi Tag captured on CM5 Chip via Anti-His Antibody can bind Human IFN alpha 1, hFc Tag with an affinity constant of 1.26 nM as determined in SPR assay (Biacore T200).