## Cynomolgus IL-12 Protein, Ultra Low Endotoxin

Cat. No. IL1-CM112-UL



Description	
Source	Recombinant Cynomolgus IL-12 Protein is expressed from HEK293 with His tag at the C-Terminus of IL-12A.
	It contains Arg57-Ser253 (IL-12A) and Ile23-Ser328 (IL-12B).
Accession	G7P6S2(IL-12B)&XP_005546300.2(IL-12A)
Molecular Weight	The protein has a predicted MW of 34.76 kDa (IL-12B) and 23.64 kDa (IL-12A). Due to glycosylation, the protein migrates to 45-48 kDa (IL-12B) and 38-44 kDa (IL-12A) based on Bis-Tris PAGE result.
Endotoxin	Less than 0.01 EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC

## Formulation and Storage


Reconstitution Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.	
Storage  -20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Receipt80°C for 3 months after reconstitution.	ommend

### Background

Interleukin 12 (IL-12) is a pleiotropic cytokine that plays an essential role in Th1-type immune response against cancer, a condition where cells in a particular part of the body grow and reproduce uncontrollably.

### **Assay Data**

#### **Bis-Tris PAGE**




Cynomolgus IL-12 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

**SEC-HPLC** 

# KAGTUS


## **Assay Data**



The purity of Cynomolgus IL-12 is greater than 95% as determined by SEC-HPLC.

#### **ELISA Data**

# Cynomolgus IL-12, His Tag ELISA 0.05µg Cynomolgus IL-12, His Tag Per Well



Immobilized Cynomolgus IL-12, His Tag at 0.5µg/ml (100µl/well) on the plate. Dose response curve for Anti-IL-12 Antibody, hFc Tag with the EC50 of 3.5ng/ml determined by ELISA.