#### Mouse IL-18 R1/CD218a Protein

Cat. No. IL8-MM1R1



Description	
Source	Recombinant Mouse IL-18 R1/CD218a Protein is expressed from HEK293 with His tag at the C-Terminus.
	It contains Lys20-Gly326.
Accession	Q61098
Molecular Weight	The protein has a predicted MW of 36.5 kDa. Due to glycosylation, the protein migrates to 60-80 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 0.1 EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC

#### Formulation and Storage

Formulation Supplied as 0.22µm filtered solution in PBS (pH 7.4).

Storage Valid for 12 months from date of receipt when stored at -80°C. Recommend to aliquot the protein into smaller


## quantities for optimal storage. Please minimize freeze-thaw cycles.

### **Background**

Interleukin-18 (IL-18) is a member of the interleukin-1 family of cytokines produced constitutively by different cell types and by adipose tissue. Interleukin (IL)-18 was originally discovered as a factor that enhanced IFN-γ production from anti-CD3-stimulated Th1 cells, especially in the presence of IL-12. Upon stimulation with Ag plus IL-12, naïve T cells develop into IL-18 receptor (IL-18R) expressing Th1 cells, which increase IFN-γ production in response to IL-18 stimulation.


#### **Assay Data**

#### **Bis-Tris PAGE**



Mouse IL-18 R1 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

#### **SEC-HPLC**



The purity of Mouse IL-18 R1 is greater than 95% as determined by SEC-HPLC.


## Mouse IL-18 R1/CD218a Protein

Cat. No. IL8-MM1R1

# KAGTUS

### **Assay Data**

#### **SPR Data**



Mouse IL-18 R1, His Tag captured on CM5 Chip via anti-his antibody can bind Human IL-18, No Tag with an affinity constant of 0.30  $\mu$ M as determined in SPR assay (Biacore T200).