Human IL-27RA/TCCR Protein

Cat. No. ILR-HM127



Description	
Source	Recombinant Human IL-27RA/TCCR Protein is expressed from HEK293 with hFc tag at the C-Terminus.
	It contains Gly34-Lys516.
Accession	Q6UWB1
Molecular Weight	The protein has a predicted MW of 79.3 kDa. Due to glycosylation, the protein migrates to 90-120 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
Formulation and	Storage
Formulation	Supplied as 0.22 µm filtered solution in PBS (pH 7.4).

Storage


Valid for 12 months from date of receipt when stored at -80°C. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

A multicenter, web-based Thyroid Cancer and Tumor Collaborative Registry (TCCR, http://tccr.unmc.edu) allows for the collection and management of various data on thyroid cancer (TC) and thyroid nodule (TN) patients. The TCCR is coupled with OpenSpecimen, an open-source biobank management system, to annotate biospecimens obtained from the TCCR subjects.

Assay Data


Bis-Tris PAGE



Human IL-27RA on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

ELISA Data

Human IL-27 RA, hFc Tag ELISA 0.5μg Human IL-27 RA, hFc Tag Per Well



Immobilized Human IL-27 RA, hFc Tag at 5µg/ml (100µl/well) on the plate. Dose response curve for Human IL-27, His Tag with the EC50 of 55.9ng/ml determined by ELISA (QC Test).


Human IL-27RA/TCCR Protein

Cat. No. ILR-HM127



Assay Data

SPR Data



Human IL-27 RA, hFc Tag captured on CM5 Chip via Protein A can bind Human IL-27, His Tag with an affinity constant of 3.58 nM as determined in SPR assay (Biacore T200).