#### Cynomolgus Integrin alpha V beta 3 (ITGAV&ITGB3) Heterodimer Protein

Cat. No. ITG-CM1V3

Description

Source


Accession

Molecular Weight

Endotoxin

Formulation

Purity




Reconstitution	Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt20 to -80°C for 3-6 months in unopened state after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

ITGAV&ITGB3 binds to NRG1 (via EGF domain) and this binding is essential for NRG1-ERBB signaling. ITGAV&ITGB3 binds to FGF1 and this binding is essential for FGF1 signaling. ITGAV&ITGB3 binds to FGF2 and this binding is essential for FGF2 signaling. ITGAV&ITGB3 binds to IGF1 and this binding is essential for IGF1 signaling. ITGAV&ITGB3 binds to IGF2 and this binding is essential for IGF2 signaling.

#### Assay Data


Background

#### **Tris-Bis PAGE**



Cynomolgus ITGAV&ITGB3 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

# Cynomolgus Integrin alpha V beta 3 (ITGAV&ITGB3) Heterodimer Protein



### Cynomolgus Integrin alpha V beta 3 (ITGAV&ITGB3) Heterodimer Protein


#### Cat. No. ITG-CM1V3

# κλιτυς

## Assay Data

ELISA Data

**Cynomolgus ITGAV&ITGB3, His Tag ELISA** 0.05µg Cynomolgus ITGAV&ITGB3, His Tag Per Well



Immobilized Cynomolgus ITGAV&ITGB3, His Tag at 0.5µg/ml (100µl/Well) on the plate. Dose response curve for Anti-alpha V beta 3 Antibody, hFc Tag with the EC50 of 10.1ng/ml determined by ELISA.