Human Integrin alpha X beta 2 (ITGAX&ITGB2) Heterodimer Protein





| Description | |
|---------------------|--|
| Source | Recombinant Human Integrin alpha X beta 2(ITGAX&ITGB2) Heterodimer Protein is expressed from HEK293 with His tag at the C-Terminus. |
| | It contains Phe20-Pro1107(ITGAX) acidic tail & Gln23-Asn700(ITGB2) basic tail. |
| Accession | P20702-1(ITGAX)&P05107-1(ITGB2) |
| Molecular Weight | The protein has a predicted MW of 125.50 kDa (ITGAX) and 79.50 kDa (ITGB2). Due to glycosylation, the protein migrates to 130-135 kDa (ITGAX) and 85-95 kDa (ITGB2) based on Bis-Tris PAGE result. |
| Endotoxin | Less than 1EU per μg by the LAL method. |
| Purity | > 95% as determined by Bis-Tris PAGE |
| | > 95% as determined by HPLC |
| Formulation and | 1 Storage |

Formulation and Storage


| Formulation | Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization. |
|----------------|---|
| Reconstitution | Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water. |
| Storage | -20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles. |

Background

The integrin alpha X beta 2 (CD11c/CD18, p150,95) binds ligands through the I domain of the alpha X subunit. Ligands include the complement factor fragment iC3b, a key component in the innate immune defense, which, together with the expression of alpha X beta 2 on dendritic cells and on other leukocytes, suggests a role in the immune response.


Assay Data

Bis-Tris PAGE



Human ITGAX&ITGB2 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC



The purity of Human ITGAX&ITGB2 is greater than 95% as determined by SEC-HPLC.

Human Integrin alpha X beta 2 (ITGAX&ITGB2) Heterodimer Protein


Cat. No. ITG-HM1XB



Assay Data

ELISA Data

Human ITGAX&ITGB2, His Tag ELISA 0.2μg Human ITGAX&ITGB2, His Tag Per Well



Immobilized Human ITGAX&ITGB2, His Tag at $2\mu g/ml$ (100 $\mu l/well$) on the plate. Dose response curve for Anti-ITGB2 Antibody, hFc Tag with the EC50 of 21.4ng/ml determined by ELISA (QC Test).