Human FGF-7/KGF Protein

KGF-HE001 Cat. No.



| Description | |
|---------------------|---|
| Source | Recombinant Human FGF-7/KGF Protein is expressed from E.coli without tag. |
| | It contains Cys32-Thr194. |
| Accession | P21781-1 |
| Molecular Weight | The protein has a predicted MW of 18.88 kDa same as Bis-Tris PAGE result. |
| Endotoxin | Less than 0.1EU per μg by the LAL method. |
| Purity | >95% as determined by Bis-Tris PAGE |

Formulation and Storage

Formulation Supplied as 0.22 µm filtered solution in PBS (pH 7.4).

Valid for 12 months from date of receipt when stored at -80°C. Recommend to aliquot the protein into smaller Storage


quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

The expression patterns of mRNAs encoding Fibroblast Growth Factor-7 (FGF-7) and its high affinity receptor suggested that FGF-7 signaling may play a role in regulating ureteric bud growth.t Results of these studies demonstrate that the developing ureteric bud and mature collecting system of FGF-7-null kidneys is markedly smaller than wild type. FGF-7 levels modulate the extent of ureteric bud growth during development and the number of nephrons that eventually form in the kidney.

Assay Data


Bis-Tris PAGE



Human FGF-7 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

ELISA Data

Human FGF-7, No Tag ELISA 0.5μg Human FGF-7, No Tag Per Well



Log Human FGFR2 beta (IIIb), hFc Tag Conc.(μg/ml)

Immobilized Human FGF-7, No Tag at 5µg/ml (100µl/well) on the plate. Dose response curve for Human FGFR2 beta (IIIb), hFc Tag with the EC50 of 0.36µg/ml determined by ELISA (QC Test).