

Non-biotinylated Human KIR2DL3 Protein, Ultra Low Endotoxin



Cat. No. KIR-HM4L3-UL

Description

Source	Recombinant Human KIR2DL3 Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus. It contains His22-His245.
Accession	P43628
Molecular Weight	The protein has a predicted MW of 27.3 kDa. Due to glycosylation, the protein migrates to 45-52 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 0.01 EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE > 95% as determined by HPLC

Formulation and Storage


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -80°C for 3 months after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

KIR2DL3 (2DL3, formerly NKAT2, designated CD158b2) is a 341 amino acid (aa) type I transmembrane glycoprotein that belongs to the human killer cell Iglike receptor (KIR) family of molecules. KIRs are expressed on human CD56dim NK cells and T cell subsets, and regulate effector functions in the innate immune system. KIR2DL3 is a receptor on natural killer (NK) cells for HLA-C alleles (HLA-Cw1, HLA-Cw3 and HLA-Cw7). Inhibits the activity of NK cells thus preventing cell lysis.

Assay Data


Bis-Tris PAGE



Human KIR2DL3 on Bis-Tris PAGE under reduced conditions. The purity is greater than 95%.

SEC-HPLC

Assay Data



The purity of Human KIR2DL3 is greater than 95% as determined by SEC-HPLC.