

Biotinylated Human Kallikrein 7/KLK7 Protein (pro form)



Cat. No. KLK-HM417B


Description	
Source	Recombinant Biotinylated Human Kallikrein 7/KLK7 Protein (pro form) is expressed from HEK293 with His tag and Avi Tag at the C-terminus. The protein needs to be activated by Thermolysin for an activated form. It contains Glu23-Arg253.
Accession	P49862
Molecular Weight	The protein has a predicted MW of 28.11 kDa. Due to glycosylation, the protein migrates to 30-40 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1 EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE > 95% as determined by HPLC

Formulation and Storage	
Formulation	Lyophilized from 0.22 µm filtered solution in 20mM HEPES, 150mM NaCL (pH 7.5). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt.-80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background	
Kallikrein 7 (KLK7) is a secreted serine protease with chymotryptic protease activity. Abnormally high expression of KLK7 is closely related to the occurrence and development of various types of cancer. Therefore, KLK7 has been identified as a potential target for cancer drug development design in recent years. KLK7 mediates various biological and pathological processes in tumorigenesis, including cell proliferation, migration, invasion, angiogenesis, and cell metabolism, by hydrolyzing a series of substrates such as membrane proteins, extracellular matrix proteins, and cytokines.	

Assay Data

Bis-Tris PAGE



Biotinylated Human Kallikrein 7 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.


SEC-HPLC

Biotinylated Human Kallikrein 7/KLK7 Protein (pro form)

Cat. No. KLK-HM417B



Assay Data



The purity of Biotinylated Human Kallikrein 7 is greater than 95% as determined by SEC-HPLC.

Biotinylated Human Kallikrein 7/KLK7 Protein (pro form)

Cat. No. KLK-HM417B



Assay Data

Bioactivity Data

Measured by its ability to cleave the fluorogenic peptide substrate, Mca-RPKPVE-Nval-WRK(Dnp)-NH₂. The specific activity is >150 pmol/min/μg.