

Human LDLR Protein, Ultra Low Endotoxin

Cat. No. LDL-HM401-UL



Description

Source	Recombinant Human LDLR Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus. It contains Ala22-Arg788.
Accession	P01130-1
Molecular Weight	The protein has a predicted MW of 87.6 kDa, Due to glycosylation, the protein migrates to 110-130 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 0.01 EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE > 95% as determined by HPLC

Formulation and Storage


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -80°C for 3 months after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

The low density lipoprotein receptor (LDLR) is the founding member of the LDL R family of widely expressed cell surface scavenger receptors. It is a cell-surface receptor that recognizes the apoprotein B100 which is embedded in the phospholipid outer layer of LDL particles.

Assay Data

Bis-Tris PAGE



Human LDLR on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.


SEC-HPLC

Human LDLR Protein, Ultra Low Endotoxin

Cat. No. LDL-HM401-UL




Assay Data



The purity of Human LDLR is greater than 95% as determined by SEC-HPLC.

SPR Data



Human LDLR, His Tag immobilized on CM5 Chip can bind Human PCSK9, His Tag with an affinity constant of 0.35 nM as determined in SPR assay (Biacore T200).