

Human MFAP4 Protein

Cat. No. MAP-HM104

Description

Source	Recombinant Human MFAP4 Protein is expressed from HEK293 with His tag and Flag tag at the N-Terminus. It contains Val22-Ala255.
Accession	P55083-1
Molecular Weight	The protein has a predicted MW of 28.6 kDa. Due to glycosylation, the protein migrates to 38-45 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE

Formulation and Storage


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -20 to -80°C for 3-6 months in unopened state after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

Microfibril-associated glycoprotein 4 (MFAP4) is an extracellular matrix protein belonging to the fibrinogen-related protein superfamily. MFAP4 is produced by vascular smooth muscle cells and is highly enriched in the blood vessels of the heart and lung, where it is thought to contribute to the structure and function of elastic fibers. Genetic studies in humans have implicated MFAP4 in the pathogenesis of Smith-Magenis syndrome, in which patients present with multiple congenital abnormalities and mental retardation, as well as in the severe cardiac malformation left-sided congenital heart disease.

Assay Data

Tris-Bis PAGE




Human MFAP4 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

ELISA Data

Assay Data

Human MFAP4 , His Tag ELISA

0.1 μ g Human MFAP4, His Tag Per Well

Immobilized Human MFAP4, His Tag at 1 μ g/ml (100 μ l/well) on the plate. Dose response curve for Anti-MFAP4 Antibody, hFc Tag with the EC₅₀ of 7.6ng/ml determined by ELISA.