

Mouse MADCAM1 Protein

ᠺ᠕ᡗ᠋ᠴ᠐᠍

Cat. No. MCM-I	
Description	
Source	Recombinant Mouse MADCAM1 Protein is expressed from HEK293 with His tag at the C-Terminus.
	It contains GIn22-Ser364.
Accession	Q61826-1
Molecular Weight	The protein has a predicted MW of 32.5 kDa. Due to glycosylation, the protein migrates to 60-70 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 0.1 EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC
Formulation and	Storage
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Background	
	Mucosal addressin cell adhesion molecule-1 (MAdCAM-1) contributes to the recruitment of donor T cells into the mucosal tissues of the recipient after allogeneic hematopoietic stem cell transplantation (aHSCT). The aim of our study was to determine whether selected single nucleotide polymorphisms (SNPs) of the MADCAM1 gene are associated with development of serious complications after aHSCT.
Assay Data	
Bis-Tris PAGE	



SEC-HPLC



Mouse MADCAM1 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

The purity of Mouse MADCAM1 is greater than 95% as determined by SEC-HPLC.