

Cat. No. MHC-HE011B

**Description**

<b>Source</b>	Recombinant Biotinylated Human HLA-A*02:01&B2M&P53 R175H (HMTEVVRHC) Monomer Protein is expressed from E.coli with His tag and Avi tag at the C-terminus. It contains Gly25-Thr305 (HLA-A*02:01), Ile21-Met119 (B2M) and HMTEVVRHC peptide.
<b>Accession</b>	A0A140T913(HLA-A*02:01)&P61769(B2M)&HMTEVVRHC
<b>Molecular Weight</b>	The protein has a predicted MW of 35.6 kDa (HLA-A*02:01) and 11.9 kDa (B2M) same as Tris-Bis PAGE result.
<b>Endotoxin</b>	Less than 1EU per µg by the LAL method.
<b>Purity</b>	> 95% as determined by Tris-Bis PAGE > 95% as determined by HPLC

**Formulation and Storage**


<b>Formulation</b>	Lyophilized from 0.22 µm filtered solution in 20mM Tris, 200mM NaCl (pH 8.0). Normally 8% mannitol is added as protectant before lyophilization.
<b>Reconstitution</b>	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
<b>Storage</b>	-20 to -80°C for 12 months as supplied from date of receipt. -80°C for 3-6 months after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

**Background**

p53 is a tumor suppressor protein. Under stressful conditions, p53 tightly regulates cell growth by promoting apoptosis and DNA repair. When p53 becomes mutated, it loses its function, resulting in abnormal cell proliferation and tumor progression. Depending on the p53 mutation, it has been shown to form aggregates leading to negative gain of function of the protein. p53 mutant associated aggregation has been observed in several cancer tissues and has been shown to promote tumor growth.

**Assay Data**


**Tris-Bis PAGE**



Biotinylated Human HLA-A\*02:01&B2M&P53 R175H (HMTEVVRHC) Monomer on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

**SEC-HPLC**

Assay Data




The purity of Biotinylated Human HLA-A\*02:01&B2M&P53 R175H (HMTEVVRHC) Monomer is greater than 95% as determined by SEC-HPLC.

Assay Data

ELISA Data

**Biotinylated Human HLA-A\*02:01&B2M&P53 R175H (HMTEVVRHC), His Tag ELISA**

0.2µg Biotinylated Human HLA-A\*02:01&B2M&P53 R175H (HMTEVVRHC), His Tag Per Well



Log Anti-HLA-A\*02:01&B2M&P53 R175H Antibody, hFc Tag Conc.(µg/ml)

Immobilized Biotinylated Human HLA-A\*02:01&B2M&P53 R175H (HMTEVVRHC) Monomer, His Tag at 2µg/ml (100µl/well) on the streptavidin precoated plate (5µg/ml). Dose response curve for Anti-HLA-A\*02:01&B2M&P53 R175H (HMTEVVRHC) Antibody, hFc Tag with the EC50 of 4.4ng/ml determined by ELISA.