

# Human HLA-A\*24:02&B2M&Survivin 2B (AYACNTSTL) Monomer Protein

Cat. No. MHC-HM430

## Description

<b>Source</b>	Recombinant Human Survivin 2B(HLA-A*24:02) Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus. It contains Gly25-Thr305(HLA-A*24:02), Ile21-Met119(B2M) and AYACNTSTL peptide.
<b>Accession</b>	AAA59600.1(HLA-A*24:02)&P61769(B2M)&AYACNTSTL
<b>Molecular Weight</b>	The protein has a predicted MW of 50.20 kDa. Due to glycosylation, the protein migrates to 53-63 kDa based on Tris-Bis PAGE result.
<b>Endotoxin</b>	Less than 1EU per µg by the LAL method.
<b>Purity</b>	> 95% as determined by Tris-Bis PAGE > 95% as determined by HPLC

## Formulation and Storage


<b>Formulation</b>	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
<b>Reconstitution</b>	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
<b>Storage</b>	-20 to -80°C for 12 months as supplied from date of receipt. -20 to -80°C for 3-6 months in unopened state after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

## Background

Survivin-2B, a known splice variant of survivin, has been reported to promote cell death in some cancer cells, although it keeps prosurvival function in others. survivin-2B promoted autophagy and further regulated cell death by accumulating and stabilizing IKK alpha in the nucleus.

## Assay Data


### Tris-Bis PAGE



Human HLA-A\*24:02&B2M&Survivin 2B (AYACNTSTL) Monomer on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

### SEC-HPLC

Assay Data



The purity of Human HLA-A\*24:02&B2M&Survivin 2B (AYACNTSTL) Monomer is greater than 95% as determined by SEC-HPLC.