

Human MICB*014:01:08 Protein

Cat. No. MIC-HM108

Description

Source	Recombinant Human MICB*014:01:08 Protein is expressed from HEK293 with His tag at the C-terminus. It contains Ala23-Asp309.
Accession	A0A7D9D6Y8
Molecular Weight	The protein has a predicted MW of 34.33 kDa. Due to glycosylation, the protein migrates to 48-68 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	>95% as determined by Bis-Tris PAGE >95% as determined by HPLC

Formulation and Storage


Formulation	Supplied as 0.22 µm filtered solution in PBS (pH 7.4).
Storage	Valid for 12 months from date of receipt when stored at -80°C. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

MICB (MHC class I chain-related gene B) is a transmembrane glycoprotein that functions as a ligand for NKG2D. A closely related protein, MICA, shares 85% amino acid identity with MICB. MICB Seems to have no role in antigen presentation. Acts as a stress-induced self-antigen that is recognized by gamma delta T cells. Ligand for the KLRK1/NKG2D receptor. Binding to KLRK1 leads to cell lysis.


Assay Data

Bis-Tris PAGE



Human MICB*014:01:08 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC




The purity of Human MICB*014:01:08 is greater than 95% as determined by SEC-HPLC.

Assay Data

ELISA Data

Human MICB*014:01:08, His Tag ELISA

0.5µg Human MICB*014:01:08, His Tag Per Well



Immobilized Human MICB*014:01:08, His Tag at 5µg/ml (100µl/well) on the plate. Dose response curve for Human NKG2D, hFc Tag with the EC50 of 0.63µg/ml determined by ELISA (QC Test).