Human MSLN/Mesothelin Protein

Cat. No. MSL-HM480



Description	
Source	Recombinant Human MSLN/Mesothelin Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus.
	It contains Glu296-Gly580.
Accession	Q13421-2
Molecular Weight	The protein has a predicted MW of 35.2 kDa. Due to glycosylation, the protein migrates to 40-50 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC
Formulation and Storage	


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

Mesothelin, also known as MSLN, is a protein that in humans is encoded by the MSLN gene. Cloning studies showed that the mesothelin gene encodes a precursor protein that is processed to yield mesothelin which is attached to the cell membrane by a glycophosphatidylinositol linkage and a 31-kDa shed fragment named megakaryocyte-potentiating factor (MPF). Although it has been proposed that mesothelin may be involved in cell adhesion, its biological function is not known. A knockout mouse line that lacks mesothelin reproduces and develops normally.

Assay Data

Bis-Tris PAGE



Human MSLN on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.


SEC-HPLC

Human MSLN/Mesothelin Protein

Cat. No. MSL-HM480

KAGTUS

Assay Data



The purity of Human MSLN was greater than 95% as determined by SEC-HPLC.

Human MSLN/Mesothelin Protein


Cat. No. MSL-HM480



Assay Data

ELISA Data

Human MSLN, His Tag ELISA 0.1μg Human MSLN, His Tag Per Well



Immobilized Human MSLN, His Tag at 1 μ g/ml (100 μ l/Well). Dose response curve for Anti-MSLN Antibody, hFc Tag with the EC50 of 1.3ng/ml determined by ELISA (QC Test).