

Human MSR1 Protein

Cat. No. MSR-HM101



Description

Source	Recombinant Human MSR1 Protein is expressed from HEK293 with His tag at the N-Terminus. It contains Lys77-Leu451.
Accession	P21757-1
Molecular Weight	The protein has a predicted MW of 42.39 kDa. Due to glycosylation, the protein migrates to 65-75 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE > 95% as determined by HPLC

Formulation and Storage


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -20 to -80°C for 3-6 months in unopened state after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

The macrophage scavenger receptor 1 (Msr1, also called SRA) is a pattern recognition receptor primarily expressed on myeloid cells, which plays an important role in the maintenance of immune homeostasis. Msr1 promotes the pathogenesis of virus-induced FH by enhancing induction of neutrophil NETosis and subsequent complement activation. Targeting Msr1 may be employed as a new immunotherapeutic strategy for FH.

Assay Data


Tris-Bis PAGE



Human MSR1 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC

Assay Data



The purity of Human MSR1 is greater than 95% as determined by SEC-HPLC.