Mouse NOGOR Protein

K∧₲ℸ℧Ⴝ


Cat. No. NOG-N	
Description	
Source	Recombinant Mouse NOGOR Protein is expressed from HEK293 with His tag at the C-Terminus.
	It contains Cys27-Ser447.
Accession	Q99P18
Molecular Weight	The protein has a predicted MW of 46.7 kDa. Due to glycosylation, the protein migrates to 60-70 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE
	> 95% as determined by HPLC
Formulation and	Storage
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μg/ml is recommended. Dissolve the lyophilized protein in distilled water.

Storage-20 to -80°C for 12 months as supplied from date of receipt.-20 to -80°C for 3-6 months in unopened state after
reconstitution.2-8°C for 2-7 days after reconstitution.Recommend to aliquot the protein into smaller quantities for
optimal storage. Please minimize freeze-thaw cycles.

Background

NOGO Receptor 1 (RTN4R) regulates axonal growth, as well as axon regeneration after injury. The gene maps to the 22q11.2 schizophrenia susceptibility locus and is thus a strong functional and positional candidate gene.RTN4R may modulate the genetic risk or clinical expression of schizophrenia in a subset of patients and identify additional studies that will be necessary to clarify the role of RTN4R in psychiatric phenotypes.

Assay Data



Mouse NOGOR on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC

