Human Neuropilin-2 Protein

NRP-HM102 Cat. No.



Description	
Source	Recombinant Human Neuropilin-2 Protein is expressed from HEK293 with His tag at the C-Terminus.
	It contains Gln23-Pro859.
Accession	NP_003863.2
Molecular Weight	The protein has a predicted MW of 95.4 kDa. Due to glycosylation, the protein migrates to 110-115 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1 EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC

Formulation and Storage

Formulation Supplied as 0.22µm filtered solution in PBS (pH 7.4).

Valid for 12 months from date of receipt when stored at -80°C. Recommend to aliquot the protein into smaller Storage


quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

Neuropilins (NRPs) are single transmembrane receptors with short cytoplasmic tails and are dependent on receptors like VEGF receptors or Plexins for signal transduction. NRPs are known to be important in angiogenesis, lymphangiogenesis, and axon guidance. The Neuropilin-family consists of two members, Neuropilin-1 (NRP1) and Neuropilin-2 (NRP2). NRP2 is important for migration, antigen presentation, phagocytosis and cell-cell contact within the immune system. Additionally, posttranslational NRP2 modifications like polysialylation are crucial for the function of some immune cells.

Assay Data

Bis-Tris PAGE




Human Neuropilin-2 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC

Cat. No. NRP-HM102



Assay Data



The purity of Human Neuropilin-2 is greater than 95% as determined by SEC-HPLC.