Cynomolgus OSMR Protein, Ultra Low Endotoxin





Description	
Source	Recombinant Cynomolgus OSMR Protein is expressed from HEK293 with His tag at the C-Terminus.
	It contains Glu28-Ser737.
Accession	A0A2K5UFW5
Molecular Weight	The protein has a predicted MW of 82.04 kDa. Due to glycosylation, the protein migrates to 110-130 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 0.01 EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC

Formulation and Storage


Formulation	Lyophilized from 0.22 μ m filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

OSMR is targeted to the mitochondrial matrix via the presequence translocase-associated motor complex components, mtHSP70 and TIM44. OSMR interacts with NADH ubiquinone oxidoreductase 1/2 (NDUFS1/2) of complex I and promotes mitochondrial respiration. Deletion of OSMR impairs spare respiratory capacity, increases reactive oxygen species, and sensitizes BTSCs to IR-induced cell death.


Assay Data

Bis-Tris PAGE



Cynomolgus OSMR on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC




The purity of Cynomolgus OSMR is greater than 95% as determined by SEC-HPLC.



Assay Data


ELISA Data

Cynomolgus OSMR, His Tag ELISA 0.2μg Cynomolgus OSMR, His Tag Per Well



Log Anti-OSMR Antibody, hFc Tag Conc.(µg/ml)

BLI Data



Immobilized Cynomolgus OSMR, His Tag at 2 μ g/ml (100 μ l/well) on the plate. Dose response curve for Anti-OSMR Antibody, hFc Tag with the EC50 of 8.4 ng/ml determined by ELISA (QC Test).

Loaded Anti-OSMR Antibody, hFc Tag on ProA-Biosensor can bind Cynomolgus OSMR, His Tag with an affinity constant of 1.75 nM as determined in BLI assay (Gator® Prime).