

# Cynomolgus/Rhesus macaque OX40/TNFRSF4/CD134 Protein

Cat. No. OX4-CM140

## Description

<b>Source</b>	Recombinant Cynomolgus/Rhesus macaque OX40/TNFRSF4/CD134 Protein is expressed from HEK293 with His tag at the C-terminus. It contains Lys28-Ala214.
<b>Accession</b>	XP_005545179.1
<b>Molecular Weight</b>	The protein has a predicted MW of 21.84 kDa. Due to glycosylation, the protein migrates to 45-60 kDa based on Tris-Bis PAGE result.
<b>Endotoxin</b>	Less than 1EU per µg by the LAL method.
<b>Purity</b>	> 95% as determined by Tris-Bis PAGE > 95% as determined by HPLC

## Formulation and Storage


<b>Formulation</b>	Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
<b>Reconstitution</b>	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
<b>Storage</b>	-20 to -80°C for 12 months as supplied from date of receipt. -80°C for 3-6 months after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

## Background

Tumor necrosis factor receptor superfamily, member 4 (TNFRSF4), also known as CD134 and OX40 receptor. OX40 is a secondary co-stimulatory immune checkpoint molecule, expressed after 24 to 72 hours following activation; its ligand, OX40L, is also not expressed on resting antigen presenting cells, but is following their activation.

## Assay Data


### Tris-Bis PAGE



Cynomolgus/Rhesus macaque OX40 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

### SEC-HPLC

Assay Data



The purity of Cynomolgus/Rhesus macaque OX40 is greater than 95% as determined by SEC-HPLC.