

Mouse PD-L1/B7-H1 Protein

Cat. No. PDL-MM210

Description

Source	Recombinant Mouse PD-L1/B7-H1 Protein is expressed from Expi293 with hFc tag at the C-terminal. It contains Phe19-Arg238.
Accession	NP_068693
Molecular Weight	The protein has a predicted MW of 51.5 kDa. Due to glycosylation, the protein migrates to 70-80 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE > 95% as determined by HPLC

Formulation and Storage


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 5% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge tubes before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -20 to -80°C for 3-6 months in unopened state after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please avoid freeze-thaw cycles.

Background

B7-H1, also known as PD-L1 and CD274, is an approximately 65 kDa transmembrane glycoprotein in the B7 family of immune regulatory molecules. PD-L1 has been identified as the ligand for the immunoinhibitory receptor programmed death-1(PD1/PDCD1) and has been demonstrated to play a role in the regulation of immune responses and peripheral tolerance.

Assay Data


Tris-Bis PAGE



Mouse PD-L1 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.


SEC-HPLC

Assay Data



The purity of Mouse PD-L1 is greater than 95% as determined by SEC-HPLC.

SPR Data



Mouse PD-L1, hFc Tag immobilized on CM5 Chip can bind Mouse PD-1, hFc Tag with an affinity constant of 0.35 μM as determined in SPR assay (Biacore T200).