Mouse PGF Protein

Cat. No. PGF-MM201



Description	
Source	Recombinant Mouse PGF Protein is expressed from HEK293 with hFc tag at the C-Terminus.
	It contains Val19-Pro158.
Accession	P49764
Molecular Weight	The protein has a predicted MW of 42.4 kDa. Due to glycosylation, the protein migrates to 55-65 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC
Formulation and	d Storage
	Lyaphilizad from 0.22µm filtarad calution in DRS (nH 7.4). Normally 89/, trabalage is added as protectant before


Formulation	Lyophilized from 0.22μm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3-6 months after reconstitution.2-8°C for 2-7 days after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

Placental growth factor (PGF) is another member of the VEGF family of cytokines with pro-angiogenic and pro-inflammatory effects. Retinal inhibition of PGF in combination with VEGF-A prevents vascular leakage and CNV possibly via modulating their own expression in mononuclear phagocytes. PGF-related, optimized strategies to target inflammation-mediated angiogenesis may help to increase efficacy and reduce non-responders in the treatment of wet AMD patients.

Assay Data

Bis-Tris PAGE




Mouse PGF on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC

Cat. No. PGF-MM201

KNGTUS

Assay Data



The purity of Mouse PGF is greater than 95% as determined by SEC-HPLC. $\label{eq:property} % \begin{subarray}{ll} \end{subarray} % \begin{subar$