
Human/Cynomolgus/Rhesus macaque ROR1 (39-151, Ig-like Domain) Protein

Cat. No. ROR-HM10I



Description	
Source	Recombinant Human/Cynomolgus/Rhesus macaque ROR1 (39-151, Ig-like Domain) Protein is expressed from HEK293 with His tag at the C-Terminus.
	It contains Glu39-Gly151.
Accession	Q01973-1(Human) / A0A2K5WTX7(Cynomolgus) / F6RUP2(Rhesus macaque)
Molecular Weight	The protein has a predicted MW of 13.7 kDa. Due to glycosylation, the protein migrates to 33-38 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 0.1 EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC
Formulation and S	Storage
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Background	
	ROR1 (Receptor tyrosine kinase-like orphan receptor 1), also known as neurotrophic tyrosine kinase receptor- related 1 (NTRKR1), is a member of the ROR family within receptor tyrosine kinases (RTK) superfamily. Two ROR family members (ROR1 and ROR2) have been identified and are characterized by the intracellular tyrosine kinase domains, highly related to those of the Trk-family receptor tyrosine kinases, and by the extracellular Frizzled-like cysteine-rich domains and kringle domains, which are common to receptors of the Wnt family members.
Assaul Data	

Assay Data Bis-Tris PAGE




Human/Cynomolgus/Rhesus macaque ROR1 (39-151, Ig-like Domain) on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC

Human/Cynomolgus/Rhesus macaque ROR1 (39-151, Ig-like Domain) Protein

Cat. No. ROR-HM10I

κλιτυς



The purity of Human/Cynomolgus/Rhesus macaque ROR1 (39-151, Ig-like Domain) is greater than 95% as determined by SEC-HPLC.

Human/Cynomolgus/Rhesus macaque ROR1 (39-151, Ig-like Domain) Protein


Cat. No. ROR-HM10I

ᠺ᠕ᢏᠴᡃ᠐᠍᠋ᠶ

Assay Data

ELISA Data

Human/Cynomolgus/Rhesus macaque ROR1 (39-151, Ig-like Domain), His Tag ELISA 0.2µg Human/Cynomolgus/Rhesus macaque ROR1 (39-151, Ig-like Domain), His Tag Per Well



Immobilized Human/Cynomolgus/Rhesus macaque ROR1 (39-151, Ig-like Domain), His Tag at 2µg/ml (100µl/well) on the plate. Dose response curve for Anti-ROR1 Antibody, hFc Tag with the EC50 of 3.0ng/ml determined by ELISA.